



## Source

Anti-SARS-CoV-2 Spike Broadly Antibody, Human IgG1 (2G7F5) is isolated from a Spike RBD infected Mouse and is recombinantly produced from human 293 cells (HEK293)

## Clone

2G7F5

## Isotype

Human IgG1 | Human Kappa

## Conjugate

Unconjugated

## Antibody Type

Recombinant Monoclonal

## Reactivity

Virus

## Immunogen

Recombinant SARS-CoV-2 Spike Trimer Protein (BA.4/Omicron) erived from human 293 cells.

## Specificity

This product can broadly reacts with SARS-CoV-2 Spike protein of WT and variant.

## Application

Application	Recommended Usage
ELISA	0.1-100 ng/mL

## Purity

>90% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

## Purification

Protein A purified/ Protein G purified

## Formulation

Lyophilized from 0.22 µm filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

## Reconstitution

Please see Certificate of Analysis for specific instructions.

*For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.*

## Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

*Please avoid repeated freeze-thaw cycles.*


This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

## SDS-PAGE



## SEC-MALS



Discounts, Gifts, and more!



# Anti-SARS-CoV-2 Spike Broadly Antibody, Human IgG1 (2G7F5) (MALS verified)

Catalog # SPD-M540




BIOSYSTEMS  
**Acro**

Anti-SARS-CoV-2 Spike Broadly Antibody, Human IgG1 (2G7F5) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%.


The purity of Anti-SARS-CoV-2 Spike Broadly Antibody, Human IgG1 (2G7F5) (Cat. No. SPD-M540) is more than 90% and the molecular weight of this protein is around 130-150 kDa verified by SEC-MALS.

[Report](#)

## Bioactivity-ELISA



Immobilized SARS-CoV-2 Spike RBD, His Tag (B.1.1.529/Omicron) (Cat. No. SPD-C522e) at 1 µg/mL (100 µL/well) can bind Anti-SARS-CoV-2 Spike Broadly Antibody, Human IgG1 (2G7F5) (MALS verified) (Cat. No. SPD-M540) with a linear range of 0.1-6 ng/mL (QC tested).



Immobilized Different SARS-CoV-2 Spike RBD, His Tag at 1 µg/mL (100 µL/well) can bind Anti-SARS-CoV-2 Spike Broadly Antibody, Human IgG1 (2G7F5) (MALS verified) (Cat. No. SPD-M540) with a linear range of 0.1-3 ng/mL (Routinely tested).

## Background

It's been reported that Coronavirus can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

## Clinical and Translational Updates

Discounts, Gifts,  
and more!



[www.acrobiosystems.com](http://www.acrobiosystems.com)

7/24/2024